Pain 128 (2007) 295–297

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 128 (2007)

Albuquerque, R.J.C., de Leeuw, R., Carlson, C.R., Okeson, J.P., Miller, C.S., Andersen, A.H., Response to Dr. Guzzi, et al. **128** 291
Andersen, A.H., see Albuquerque, R.J.C. **128** 291
Angst, M.S., Clark, J.D., Comment on Koltzenburg et al.: Differential sensitivity of three experimental pain models in detecting the analgesic effects of transdermal fentanyl and buprenorphine. Pain 2006;126:165–74 **128** 292
Apkarian, A.V., see Geha, P.Y., **128** 88
Asghari, A., see Nicholas, M., **128** 284
Authier, N., see Ling, B., **128** 225

Baca, C., Grant, K., Mortality from opioid analgesics must not be ignored, **128** 288
Balayssac, D., see Ling, B., **128** 225
Baliki, M.N., see Geha, P.Y., **128** 88
Ball, A.D., see Ivanavicius, S.P., **128** 272
Ballantyne, J.C., Response to Letter by Baca and Grant (2006), **128** 288
Bean, J., see Leveille, S.G., **128** 69
Beggs, S., see Moss, A., **128** 215
Benaim, C., Froger, J., Cazottes, C., Gueben, D., Porte, M., Desnuelle, C., Pelissier, J.Y., Use of the Faces Pain Scale by left and right hemispheric stroke patients, **128** 52
Benedetti, F., What do you expect from this treatment? Changing our mind about clinical trials, **128** 193
Berro, M., see Thyregod, H.G., **128** 148
Blake, D.R., see Wilkie, I.C., **128** 286
Blum, D., see Vinik, A.I., **128** 169
Bogduk, N., see Stewart, M.J., **128** 59
Branca, V., see Costa, A., **128** 290
Brinkhaus, B., see Linde, K., **128** 264
Brooks, J.C.W., Tracey, I., The insula: A multidimensional integration site for pain, **128** 1
Brown, S.C., see Martin, A.L., **128** 13

Carlson, C.R., see Albuquerque, R.J.C., **128** 291
Cazottes, C., see Benaim, C., **128** 52
Chessell, I.P., see Zhao, F.-Y., **128** 78
Chialvo, D.R., see Geha, P.Y., **128** 88
Christianson, J.A., Liang, R., Ustinova, E.E., Davis, B.M., Fraser, M.O., Pezzone, M.A., Convergence of bladder and colon sensory innervation occurs at the primary afferent level, **128** 235
Clark, J.D., see Angst, M.S., **128** 292
Corder, C., see Vinik, A.I., **128** 169
Costa, A., Branca, V., Pigatto, P.D., Guzzi, G., BMD, fMRI study and brain hypoactivity, **128** 290
Costigan, M., see Moss, A., **128** 215
Coudore, F., see Ling, B., **128** 225

Davis, B.M., see Christianson, J.A., **128** 235
Davis, D., see Porter, L.S., **128** 195
Davis, M.C., see Zautra, A.J., **128** 128
de Leeuw, R., see Albuquerque, R.J.C., **128** 291
Desnuelle, C., see Benaim, C., **128** 52
Devor, M., Comment from the Editor, **128** 288
Dhond, R.P., Kettner, N., Napadow, V., Do the neural correlates of acupuncture and placebo effects differ?, **128** 8
Diatchenko, L., see Nackley, A.G., **128** 199
Dionne, R.A., see Wang, X.-M., **128** 136
Dolan, S., see Wilkie, I.C., **128** 286
Dunckley, P., see Fairhurst, M., **128** 101
Dworkin, R.H., Inadequate evidence for a revised definition of postherpetic neuralgia (PHN), **128** 189

Eschalier, A., see Ling, B., **128** 225

Fairhurst, M., Wiech, K., Dunckley, P., Tracey, I., Anticipatory brainstem activity predicts neural processing of pain in humans, **128** 101
Fasman, R., see Zautra, A.J., **128** 128
Fecho, K., see Nackley, A.G., **128** 199
Fitzgerald, M., see Walker, S.M., **128** 157
Fitzgerald, M., see Moss, A., **128** 215
Flood, P., see Nackley, A.G., **128** 199
Flor, H., see Klinger, R., **128** 31
France, C.R., see Rhudy, J.L., **128** 244
Fraser, M.O., see Christianson, J.A., **128** 235
Froger, J., see Benaim, C., **128** 52
Fusayasu, E., Kowa, H., Takeshima, T., Nakaso, K., Nakashima, K., Increased plasma substance P and CGRP levels, and high ACE activity in migraineurs during headache-free periods, **128** 209

Gandevia, S.C., see Henderson, L.A., **128** 20
Geha, P.Y., Baliki, M.N., Chialvo, D.R., Harden, R.N., Paice, J.A., Apkarian, A.V., Brain activity for spontaneous pain of postherpetic neuralgia and its modulation by lidocaine patch therapy, **128** 88
Grainger, J., see Vinik, A.I., **128** 169
Grant, K., see Baca, C., **128** 288
Griffin, J.W., see Shim, B., **128** 40
Gueben, D., see Benaim, C., **128** 52
Guralnik, J.M., see Leveille, S.G., **128** 69
Guzzi, G., see Costa, A., **128** 290

Hamza, M., see Wang, X.-M., **128** 136
Harden, R.N., see Geha, P.Y., **128** 88
Hartke, T.V., see Shim, B., **128** 40
Hathway, G.J., see Moss, A., **128** 215

doi:10.1016/S0304-3959(07)00094-2

Heapy, C.G., see Ivanavicius, S.P., **128** 272
Henderson, L.A., Gandevia, S.C., Macefield, V.G., Somatotopic organization of the processing of muscle and cutaneous pain in the left and right insula cortex: A single-trial fMRI study, **128** 20
Herbert, R.D., see Stewart, M.J., **128** 59

Ishikawa, T., see Shibukawa, Y., **128** 180
Ivanavicius, S.P., Ball, A.D., Heapy, C.G., Westwood, F.R., Murray, F., Read, S.J., Structural pathology in a rodent model of osteoarthritis is associated with neuropathic pain: Increased expression of ATF-3 and pharmacological characterisation, **128** 272

Jensen, T.S., see Sindrup, S.H., **128** 6
Jiang, T., see Shibukawa, Y., **128** 180
Johnson, R.W., Rice, A.S.C., Pain following herpes zoster: The influence of changing population characteristics and medical developments, **128** 3

Kato, M., see Shibukawa, Y., **128** 180
Kato, Y., see Shibukawa, Y., **128** 180
Katz, J., see Martin, A.L., **128** 13
Keefe, F.J., see Porter, L.S., **128** 195
Kettner, N., see Dhond, R.P., **128** 8
Kirby, L., see Vinik, A.I., **128** 169
Klein, T., see Lang, S., **128** 254
Klinger, R., Soost, S., Flor, H., Worm, M., Classical conditioning and expectancy in placebo hypoalgesia: A randomized controlled study in patients with atopic dermatitis and persons with healthy skin, **128** 31
Knapp, D.S., Comment on the comprehensive review of chronic pain by Vierck and the topical review of pain by Klossika et al., **128** 289
Kowa, H., see Fusayasu, E., **128** 209
Kumai, T., see Shibukawa, Y., **128** 180

Lambrinos, G.L., see Shim, B., **128** 40
Lang, S., Klein, T., Magerl, W., Treede, R.-D., Modality-specific sensory changes in humans after the induction of long-term potentiation (LTP) in cutaneous nociceptive pathways, **128** 254
Leveille, S.G., Bean, J., Ngo, L., McMullen, W., Guralnik, J.M., The pathway from musculoskeletal pain to mobility difficulty in older disabled women, **128** 69
Lewis, J., see Wilkie, I.C., **128** 286
Liang, R., see Christianson, J.A., **128** 235
Lickiss, T., see Walker, S.M., **128** 157
Linde, K., Witt, C.M., Streng, A., Weidenhammer, W., Wagenpfeil, S., Brinkhaus, B., Willich, S.N., Melchart, D., The impact of patient expectations on outcomes in four randomized controlled trials of acupuncture in patients with chronic pain, **128** 264
Ling, B., Authier, N., Balayssac, D., Eschalier, A., Coudore, F., Behavioral and pharmacological description of oxaliplatin-induced painful neuropathy in rat, **128** 225

Macefield, V.G., see Henderson, L.A., **128** 20
Magerl, W., see Lang, S., **128** 254
Maher, C.G., see Stewart, M.J., **128** 59
Maixner, W., see Nackley, A.G., **128** 199
Martin, A., see Nestoriuc, Y., **128** 111
Martin, A.L., McGrath, P.A., Brown, S.C., Katz, J., Children with chronic pain: Impact of sex and age on long-term outcomes, **128** 13
Martindale, J.C., see Zhao, F.-Y., **128** 78
McCracken, L.M., Vowles, K., Thompson, M., Comment on Nicholas and Asghari: Pain 2006;124:269–79, **128** 283
McGrath, P.A., see Martin, A.L., **128** 13
McMullen, W., see Leveille, S.G., **128** 69
Melchart, D., see Linde, K., **128** 264
Meredith-Middleton, J., see Walker, S.M., **128** 157
Meyer, R.A., see Shim, B., **128** 40
Miller, C.S., see Albuquerque, R.J.C., **128** 291
Moss, A., see Walker, S.M., **128** 157
Moss, A., Beggs, S., Vega-Avelaira, D., Costigan, M., Hathway, G.J., Salter, M.W., Fitzgerald, M., Spinal microglia and neuropathic pain in young rats, **128** 215
Murray, F., see Ivanavicius, S.P., **128** 272

Nackley, A.G., Tan, K.S., Fecho, K., Flood, P., Diatchenko, L., Maixner, W., Catechol-*O*-methyltransferase inhibition increases pain sensitivity through activation of both β_2- and β_3-adrenergic receptors, **128** 199
Nakamura, Y., see Shibukawa, Y., **128** 180
Nakashima, K., see Fusayasu, E., **128** 209
Nakaso, K., see Fusayasu, E., **128** 209
Napadow, V., see Dhond, R.P., **128** 8
Nestoriuc, Y., Martin, A., Efficacy of biofeedback for migraine: A meta-analysis, **128** 111
Ngo, L., see Leveille, S.G., **128** 69
Nicholas, M., Asghari, A., Response to letter by McCracken et al. (2006), **128** 284
Nicholas, M., see Stewart, M.J., **128** 59

Okeson, J.P., see Albuquerque, R.J.C., **128** 291

Paice, J.A., see Geha, P.Y., **128** 88
Parish, B.P., see Zautra, A.J., **128** 128
Pelissier, J.Y., see Benaim, C., **128** 52
Peters, M., see Thyregod, H.G., **128** 148
Petersen, K.L., see Thyregod, H.G., **128** 148
Petersen, K.L., Thyregod, H.G., Rowbotham, M.C., Response to the Letter to the Editor by Robert Dworkin, **128** 191
Pezzone, M.A., see Christianson, J.A., **128** 235
Pigatto, P.D., see Costa, A., **128** 290
Porte, M., see Benaim, C., **128** 52
Porter, L.S., Davis, D., Keefe, F.J., Attachment and pain: Recent findings and future directions, **128** 195
Possehn, J., see Thyregod, H.G., **128** 148

Quessy, S., see Vinik, A.I., **128** 169

Ramsay, E.S., see Wang, X.-M., **128** 136
Raymond, S.A., see Rocco, A.G., **128** 285
Read, S.J., see Ivanavicius, S.P., **128** 272
Reeve, A.J., see Zhao, F.-Y., **128** 78
Refshauge, K.M., see Stewart, M.J., **128** 59
Rhudy, J.L., France, C.R., Defining the nociceptive flexion reflex (NFR) threshold in human participants: A comparison of different scoring criteria, **128** 244
Rice, A.S.C., see Johnson, R.W., **128** 3
Ringkamp, M., see Shim, B., **128** 40
Rocco, A.G., Raymond, Comment on Editorial: Is CRPS I a neuropathic pain syndrome?, **128** 285
Rowbotham, M.C., see Petersen, K.L., **128** 191
Rowbotham, M.C., see Thyregod, H.G., **128** 148

Safirstein, B., see Vinik, A.I., **128** 169
Salter, M.W., see Moss, A., **128** 215
Shibukawa, Y., Ishikawa, T., Kato, Y., Zhang, Z.-K., Jiang, T., Shintani, M., Shimono, M., Kumai, T., Suzuki, T., Kato, M., Nakamura, Y., Cerebral cortical dysfunction in patients with temporomandibular disorders in association with jaw movement observation, **128** 180
Shim, B., Ringkamp, M., Lambrinos, G.L., Hartke, T.V., Griffin, J.W., Meyer, R.A., Activity-dependent slowing of conduction velocity in uninjured L4 C fibers increases after an L5 spinal nerve injury in the rat, **128** 40

Shimono, M., see Shibukawa, Y., **128** 180
Shintani, M., see Shibukawa, Y., **128** 180
Silver, M., see Vinik, A.I., **128** 169
Sindrup, S.H., Jensen, T.S., Are sodium channel blockers useless in peripheral neuropathic pain?, **128** 6
Soost, S., see Klinger, R., **128** 31
Spanswick, D., see Zhao, F.-Y., **128** 78
Stewart, M.J., Maher, C.G., Refshauge, K.M., Herbert, R.D., Bogduk, N., Nicholas, M., Randomized controlled trial of exercise for chronic whiplash-associated disorders, **128** 59
Streng, A., see Linde, K., **128** 264
Suzuki, T., see Shibukawa, Y., **128** 180

Takeshima, T., see Fusayasu, E., **128** 209
Tan, K.S., see Nackley, A.G., **128** 199
Thompson, M., see McCracken, L.M., **128** 283
Thyregod, H.G., Rowbotham, M.C., Peters, M., Possehn, J., Berro, M., Petersen, K.L., Natural history of pain following herpes zoster, **128** 148
Thyregod, H.G., see Petersen, K.L., **128** 191
Tracey, I., see Brooks, J.C.W., **128** 1
Tracey, I., see Fairhurst, M., **128** 101
Treede, R.-D., see Lang, S., **128** 254
Tuchman, M., see Vinik, A.I., **128** 169

Ustinova, E.E., see Christianson, J.A., **128** 235

Vega-Avelaira, D., see Moss, A., **128** 215
Vierck, C.J., Response to Knapp, **128** 289
Vinik, A.I., Tuchman, M., Safirstein, B., Corder, C., Kirby, L., Wilks, K., Quessy, S., Blum, D., Grainger, J., White, J., Silver, M., Lamotrigine for treatment of pain associated with diabetic neuropathy: Results of two randomized, double-blind, placebo-controlled studies, **128** 169
Vowles, K., see McCracken, L.M., **128** 283

Wagenpfeil, S., see Linde, K., **128** 264
Wahl, S.M., see Wang, X.-M., **128** 136
Walker, S.M., Meredith-Middleton, J., Lickiss, T., Moss, A., Fitzgerald, M., Primary and secondary hyperalgesia can be differentiated by postnatal age and ERK activation in the spinal dorsal horn of the rat pup, **128** 157
Wang, X.-M., Wu, T.-X., Hamza, M., Ramsay, E.S., Wahl, S.M., Dionne, R.A., Rofecoxib modulates multiple gene expression pathways in a clinical model of acute inflammatory pain, **128** 136
Weidenhammer, W., see Linde, K., **128** 264
Westwood, F.R., see Ivanavicius, S.P., **128** 272
White, J., see Vinik, A.I., **128** 169
Wiech, K., see Fairhurst, M., **128** 101
Wilkie, I.C., Dolan, S., Lewis, J., Blake, D.R., 'Autotomy': A terminological inexactitude, **128** 286
Wilks, K., see Vinik, A.I., **128** 169
Willich, S.N., see Linde, K., **128** 264
Witt, C.M., see Linde, K., **128** 264
Worm, M., see Klinger, R., **128** 31
Wu, T.-X., see Wang, X.-M., **128** 136

Zautra, A.J., Fasman, R., Parish, B.P., Davis, M.C., Daily fatigue in women with osteoarthritis, rheumatoid arthritis, and fibromyalgia, **128** 128
Zhang, Z.-K., see Shibukawa, Y., **128** 180
Zhao, F.-Y., Spanswick, D., Martindale, J.C., Reeve, A.J., Chessell, I.P., GW406381, a novel COX-2 inhibitor, attenuates spontaneous ectopic discharge in sural nerves of rats following chronic constriction injury, **128** 78

Pain 128 (2007) 298–301

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 128 (2007)

Acupuncture
The impact of patient expectations on outcomes in four randomized controlled trials of acupuncture in patients with chronic pain **128**, 264
Acute inflammation
Rofecoxib modulates multiple gene expression pathways in a clinical model of acute inflammatory pain **128**, 136
Afferent
Convergence of bladder and colon sensory innervation occurs at the primary afferent level **128**, 235
Age differences
Children with chronic pain: Impact of sex and age on long-term outcomes **128**, 13
Aging
The pathway from musculoskeletal pain to mobility difficulty in older disabled women **128**, 69
AHZ
Natural history of pain following herpes zoster **128**, 148
Alexa Fluor
Convergence of bladder and colon sensory innervation occurs at the primary afferent level **128**, 235
Allodynia
Catechol-*O*-methyltransferase inhibition increases pain sensitivity through activation of both β_2- and β_3-adrenergic receptors **128**, 199
Angiotensin converting enzyme (ACE)
Increased plasma substance P and CGRP levels, and high ACE activity in migraineurs during headache-free periods **128**, 209
Anterior cingulate
Brain activity for spontaneous pain of postherpetic neuralgia and its modulation by lidocaine patch therapy **128**, 88
Anticipation
Anticipatory brainstem activity predicts neural processing of pain in humans **128**, 101
ATF-3
Structural pathology in a rodent model of osteoarthritis is associated with neuropathic pain: Increased expression of ATF-3 and pharmacological characterisation **128**, 272
Behavioral therapy
Efficacy of biofeedback for migraine: A meta-analysis **128**, 111
Biofeedback
Efficacy of biofeedback for migraine: A meta-analysis **128**, 111
Brainstem
Anticipatory brainstem activity predicts neural processing of pain in humans **128**, 101
Calcitonin gene-related peptide (CGRP)
Increased plasma substance P and CGRP levels, and high ACE activity in migraineurs during headache-free periods **128**, 209
Capsaicin
Primary and secondary hyperalgesia can be differentiated by postnatal age and ERK activation in the spinal dorsal horn of the rat pup **128**, 157
Carrageenan
Catechol-*O*-methyltransferase inhibition increases pain sensitivity through activation of both β_2- and β_3-adrenergic receptors **128**, 199
Catecholamines
Catechol-*O*-methyltransferase inhibition increases pain sensitivity through activation of both β_2- and β_3-adrenergic receptors **128**, 199
Celecoxib
Structural pathology in a rodent model of osteoarthritis is associated with neuropathic pain: Increased expression of ATF-3 and pharmacological characterisation **128**, 272
Central sensitization
Modality-specific sensory changes in humans after the induction of long-term potentiation (LTP) in cutaneous nociceptive pathways **128**, 254
Children
Children with chronic pain: Impact of sex and age on long-term outcomes **128**, 13
Cholera toxin B
Convergence of bladder and colon sensory innervation occurs at the primary afferent level **128**, 235
Chronic constriction injury (CCI)
GW406381, a novel COX-2 inhibitor, attenuates spontaneous ectopic discharge in sural nerves of rats following chronic constriction injury **128**, 78
Chronic pain
Brain activity for spontaneous pain of postherpetic neuralgia and its modulation by lidocaine patch therapy **128**, 88
Chronic pain
Children with chronic pain: Impact of sex and age on long-term outcomes **128**, 13
Chronic pain
Daily fatigue in women with osteoarthritis, rheumatoid arthritis, and fibromyalgia **128**, 128
Classical conditioning
Classical conditioning and expectancy in placebo hypoalgesia: A randomized controlled study in patients with atopic dermatitis and persons with healthy skin **128**, 31
Cold allodynia
Behavioral and pharmacological description of oxaliplatin-induced painful neuropathy in rat **128**, 225
Cold hyperalgesia
Behavioral and pharmacological description of oxaliplatin-induced painful neuropathy in rat **128**, 225
Convergence
Convergence of bladder and colon sensory innervation occurs at the primary afferent level **128**, 235
COX-2 inhibition
Rofecoxib modulates multiple gene expression pathways in a clinical model of acute inflammatory pain **128**, 136

doi:10.1016/S0304-3959(07)00095-4

Daily symptoms
Daily fatigue in women with osteoarthritis, rheumatoid arthritis, and fibromyalgia **128**, 128
Development
Primary and secondary hyperalgesia can be differentiated by postnatal age and ERK activation in the spinal dorsal horn of the rat pup **128**, 157
Diagnostic criteria
Natural history of pain following herpes zoster **128**, 148
Dibetic neuropathy
Lamotrigine for treatment of pain associated with diabetic neuropathy: Results of two randomized, double-blind, placebo-controlled studies **128**, 169
Disability
The pathway from musculoskeletal pain to mobility difficulty in older disabled women **128**, 69
Doral root ganglia
Convergence of bladder and colon sensory innervation occurs at the primary afferent level **128**, 235
Dorsal horn
Spinal microglia and neuropathic pain in young rats **128**, 215
DRG
Structural pathology in a rodent model of osteoarthritis is associated with neuropathic pain: Increased expression of ATF-3 and pharmacological characterisation **128**, 272
Ectopic discharge
GW406381, a novel COX-2 inhibitor, attenuates spontaneous ectopic discharge in sural nerves of rats following chronic constriction injury **128**, 78
Epinephrine
Catechol-*O*-methyltransferase inhibition increases pain sensitivity through activation of both β_2- and β_3-adrenergic receptors **128**, 199
ERK
Primary and secondary hyperalgesia can be differentiated by postnatal age and ERK activation in the spinal dorsal horn of the rat pup **128**, 157
Exercise therapy
Randomized controlled trial of exercise for chronic whiplash-associated disorders **128**, 59
Expectancy theory
Classical conditioning and expectancy in placebo hypoalgesia: A randomized controlled study in patients with atopic dermatitis and persons with healthy skin **128**, 31
Expectations
The impact of patient expectations on outcomes in four randomized controlled trials of acupuncture in patients with chronic pain **128**, 264
Extrinsic sensitization
Modality-specific sensory changes in humans after the induction of long-term potentiation (LTP) in cutaneous nociceptive pathways **128**, 254
Fatigue
Daily fatigue in women with osteoarthritis, rheumatoid arthritis, and fibromyalgia **128**, 128
Fibromyalgia
Daily fatigue in women with osteoarthritis, rheumatoid arthritis, and fibromyalgia **128**, 128
Fibromyalgia
The pathway from musculoskeletal pain to mobility difficulty in older disabled women **128**, 69
fMRI
Anticipatory brainstem activity predicts neural processing of pain in humans **128**, 101
fMRI
Brain activity for spontaneous pain of postherpetic neuralgia and its modulation by lidocaine patch therapy **128**, 88
fMRI
Somatotopic organization of the processing of muscle and cutaneous pain in the left and right insula cortex: A single-trial fMRI study **128**, 20
Gabapentin
Structural pathology in a rodent model of osteoarthritis is associated with neuropathic pain: Increased expression of ATF-3 and pharmacological characterisation **128**, 272
Gene/protein expression
Rofecoxib modulates multiple gene expression pathways in a clinical model of acute inflammatory pain **128**, 136
GW406381
GW406381, a novel COX-2 inhibitor, attenuates spontaneous ectopic discharge in sural nerves of rats following chronic constriction injury **128**, 78
Headache
Increased plasma substance P and CGRP levels, and high ACE activity in migraineurs during headache-free periods **128**, 209
Human
Cerebral cortical dysfunction in patients with temporomandibular disorders in association with jaw movement observation **128**, 180
Hyperalgesia
Primary and secondary hyperalgesia can be differentiated by postnatal age and ERK activation in the spinal dorsal horn of the rat pup **128**, 157
Hyperalgesia
Catechol-*O*-methyltransferase inhibition increases pain sensitivity through activation of both β_2- and β_3-adrenergic receptors **128**, 199
Hyperalgesia
Modality-specific sensory changes in humans after the induction of long-term potentiation (LTP) in cutaneous nociceptive pathways **128**, 254
Iba-1
Spinal microglia and neuropathic pain in young rats **128**, 215
Insula
Anticipatory brainstem activity predicts neural processing of pain in humans **128**, 101
Insula
Brain activity for spontaneous pain of postherpetic neuralgia and its modulation by lidocaine patch therapy **128**, 88
Insula
Somatotopic organization of the processing of muscle and cutaneous pain in the left and right insula cortex: A single-trial fMRI study **128**, 20
Lamotrigine
Lamotrigine for treatment of pain associated with diabetic neuropathy: Results of two randomized, double-blind, placebo-controlled studies **128**, 169
Lipopolysaccharide
Spinal microglia and neuropathic pain in young rats **128**, 215
Long-term outcomes
Children with chronic pain: Impact of sex and age on long-term outcomes **128**, 13
Magnetoencephalography
Cerebral cortical dysfunction in patients with temporomandibular disorders in association with jaw movement observation **128**, 180
Measurement
Defining the nociceptive flexion reflex (NFR) threshold in human participants: A comparison of different scoring criteria **128**, 244
Mechanical allodynia
Behavioral and pharmacological description of oxaliplatin-induced painful neuropathy in rat **128**, 225
Meta-analysis
Efficacy of biofeedback for migraine: A meta-analysis **128**, 111

MIA
Structural pathology in a rodent model of osteoarthritis is associated with neuropathic pain: Increased expression of ATF-3 and pharmacological characterisation **128**, 272
Microglia
Spinal microglia and neuropathic pain in young rats **128**, 215
Migraine
Efficacy of biofeedback for migraine: A meta-analysis **128**, 111
Migraine
Increased plasma substance P and CGRP levels, and high ACE activity in migraineurs during headache-free periods **128**, 209
Mobility
The pathway from musculoskeletal pain to mobility difficulty in older disabled women **128**, 69
Motor cortex
Cerebral cortical dysfunction in patients with temporomandibular disorders in association with jaw movement observation **128**, 180
MPI
Natural history of pain following herpes zoster **128**, 148
Muscle
Somatotopic organization of the processing of muscle and cutaneous pain in the left and right insula cortex: A single-trial fMRI study **128**, 20
Musculoskeletal
The pathway from musculoskeletal pain to mobility difficulty in older disabled women **128**, 69
Mustard oil
Primary and secondary hyperalgesia can be differentiated by postnatal age and ERK activation in the spinal dorsal horn of the rat pup **128**, 157
Neonatal
Spinal microglia and neuropathic pain in young rats **128**, 215
Nerve injury
Activity-dependent slowing of conduction velocity in uninjured L4 C fibers increases after an L5 spinal nerve injury in the rat **128**, 40
Neuropathic pain
Activity-dependent slowing of conduction velocity in uninjured L4 C fibers increases after an L5 spinal nerve injury in the rat **128**, 40
Neuropathic pain
GW406381, a novel COX-2 inhibitor, attenuates spontaneous ectopic discharge in sural nerves of rats following chronic constriction injury **128**, 78
Neuropathic pain
Lamotrigine for treatment of pain associated with diabetic neuropathy: Results of two randomized, double-blind, placebo-controlled studies **128**, 169
Neuropathic pain
Modality-specific sensory changes in humans after the induction of long-term potentiation (LTP) in cutaneous nociceptive pathways **128**, 254
Neuropathic pain
Spinal microglia and neuropathic pain in young rats **128**, 215
Neuropathy
Activity-dependent slowing of conduction velocity in uninjured L4 C fibers increases after an L5 spinal nerve injury in the rat **128**, 40
Nociception
Somatotopic organization of the processing of muscle and cutaneous pain in the left and right insula cortex: A single-trial fMRI study **128**, 20
Nociceptive flexion reflex
Defining the nociceptive flexion reflex (NFR) threshold in human participants: A comparison of different scoring criteria **128**, 244
Norepinephrine
Catechol-*O*-methyltransferase inhibition increases pain sensitivity through activation of both β_2- and β_3-adrenergic receptors **128**, 199
OA
Structural pathology in a rodent model of osteoarthritis is associated with neuropathic pain: Increased expression of ATF-3 and pharmacological characterisation **128**, 272
Osteoarthritis
Daily fatigue in women with osteoarthritis, rheumatoid arthritis, and fibromyalgia **128**, 128
Osteoarthritis
The pathway from musculoskeletal pain to mobility difficulty in older disabled women **128**, 69
Oxaliplatin
Behavioral and pharmacological description of oxaliplatin-induced painful neuropathy in rat **128**, 225
Pain
Anticipatory brainstem activity predicts neural processing of pain in humans **128**, 101
Pain
Classical conditioning and expectancy in placebo hypoalgesia: A randomized controlled study in patients with atopic dermatitis and persons with healthy skin **128**, 31
Pain
Primary and secondary hyperalgesia can be differentiated by postnatal age and ERK activation in the spinal dorsal horn of the rat pup **128**, 157
Pain
Rofecoxib modulates multiple gene expression pathways in a clinical model of acute inflammatory pain **128**, 136
Pain
Somatotopic organization of the processing of muscle and cutaneous pain in the left and right insula cortex: A single-trial fMRI study **128**, 20
Pain
The pathway from musculoskeletal pain to mobility difficulty in older disabled women **128**, 69
Pain
Convergence of bladder and colon sensory innervation occurs at the primary afferent level **128**, 235
Pain
The impact of patient expectations on outcomes in four randomized controlled trials of acupuncture in patients with chronic pain **128**, 264
Pain assessment
Use of the Faces Pain Scale by left and right hemispheric stroke patients **128**, 52
Pain memory
Modality-specific sensory changes in humans after the induction of long-term potentiation (LTP) in cutaneous nociceptive pathways **128**, 254
Pharmacology
Behavioral and pharmacological description of oxaliplatin-induced painful neuropathy in rat **128**, 225
Placebo
The impact of patient expectations on outcomes in four randomized controlled trials of acupuncture in patients with chronic pain **128**, 264
Placebo analgesia
Classical conditioning and expectancy in placebo hypoalgesia: A randomized controlled study in patients with atopic dermatitis and persons with healthy skin **128**, 31
Placebo effect
Classical conditioning and expectancy in placebo hypoalgesia: A randomized controlled study in patients with atopic dermatitis and persons with healthy skin **128**, 31
Placebo hypoalgesia
Classical conditioning and expectancy in placebo hypoalgesia: A randomized controlled study in patients with atopic dermatitis and persons with healthy skin **128**, 31

Post herpetic neuralgia
Natural history of pain following herpes zoster **128**, 148
Psychosocial factors
Children with chronic pain: Impact of sex and age on long-term outcomes **128**, 13
Quantitative sensory testing
Modality-specific sensory changes in humans after the induction of long-term potentiation (LTP) in cutaneous nociceptive pathways **128**, 254
Questionnaires
Natural history of pain following herpes zoster **128**, 148
Randomized controlled clinical trial
Classical conditioning and expectancy in placebo hypoalgesia: A randomized controlled study in patients with atopic dermatitis and persons with healthy skin **128**, 31
Receiver operating characteristics
Defining the nociceptive flexion reflex (NFR) threshold in human participants: A comparison of different scoring criteria **128**, 244
Retrograde labeling
Convergence of bladder and colon sensory innervation occurs at the primary afferent level **128**, 235
Rheumatoid arthritis
Daily fatigue in women with osteoarthritis, rheumatoid arthritis, and fibromyalgia **128**, 128
RIII
Defining the nociceptive flexion reflex (NFR) threshold in human participants: A comparison of different scoring criteria **128**, 244
Rofecoxib
GW406381, a novel COX-2 inhibitor, attenuates spontaneous ectopic discharge in sural nerves of rats following chronic constriction injury **128**, 78
Sex differences
Children with chronic pain: Impact of sex and age on long-term outcomes **128**, 13
SFMPQ
Natural history of pain following herpes zoster **128**, 148
Single nerve fiber recording
Activity-dependent slowing of conduction velocity in uninjured L4 C fibers increases after an L5 spinal nerve injury in the rat **128**, 40
Skin
Somatotopic organization of the processing of muscle and cutaneous pain in the left and right insula cortex: A single-trial fMRI study **128**, 20
Stroke
Use of the Faces Pain Scale by left and right hemispheric stroke patients **128**, 52
Substance P
Increased plasma substance P and CGRP levels, and high ACE activity in migraineurs during headache-free periods **128**, 209
Temporomandibular disorder
Cerebral cortical dysfunction in patients with temporomandibular disorders in association with jaw movement observation **128**, 180
Thalamus
Brain activity for spontaneous pain of postherpetic neuralgia and its modulation by lidocaine patch therapy **128**, 88
Threshold
Defining the nociceptive flexion reflex (NFR) threshold in human participants: A comparison of different scoring criteria **128**, 244
Unmyelinated cutaneous afferent
Activity-dependent slowing of conduction velocity in uninjured L4 C fibers increases after an L5 spinal nerve injury in the rat **128**, 40
Validation studies
Use of the Faces Pain Scale by left and right hemispheric stroke patients **128**, 52
Ventral striatum
Brain activity for spontaneous pain of postherpetic neuralgia and its modulation by lidocaine patch therapy **128**, 88
Visual cortex
Cerebral cortical dysfunction in patients with temporomandibular disorders in association with jaw movement observation **128**, 180
Wallerian degeneration
Activity-dependent slowing of conduction velocity in uninjured L4 C fibers increases after an L5 spinal nerve injury in the rat **128**, 40
Whiplash injuries
Randomized controlled trial of exercise for chronic whiplash-associated disorders **128**, 59
Women
The pathway from musculoskeletal pain to mobility difficulty in older disabled women **128**, 69

Pain 128 (2007) 302–304

PAIN

www.elsevier.com/locate/pain

Contents to Volume 128 (2007)

Numbers 1,2 – March 2007

EDITORIALS

The insula: A multidimensional integration site for pain
J.C.W. Brooks, I. Tracey (UK) 1

Pain following herpes zoster: The influence of changing population characteristics and medical developments
R.W. Johnson, A.S.C. Rice (UK) 3

Are sodium channel blockers useless in peripheral neuropathic pain?
S.H. Sindrup, T.S. Jensen (Denmark) 6

TOPICAL REVIEW

Do the neural correlates of acupuncture and placebo effects differ?
R.P. Dhond, N. Kettner, V. Napadow (USA) 8

RESEARCH PAPERS

Children with chronic pain: Impact of sex and age on long-term outcomes
A.L. Martin, P.A. McGrath, S.C. Brown, J. Katz (Canada) 13

Somatotopic organization of the processing of muscle and cutaneous pain in the left and right insula cortex: A single-trial fMRI study
L.A. Henderson, S.C. Gandevia, V.G. Macefield (Australia) 20

Classical conditioning and expectancy in placebo hypoalgesia: A randomized controlled study in patients with atopic dermatitis and persons with healthy skin
R. Klinger, S. Soost, H. Flor, M. Worm (Germany) 31

Activity-dependent slowing of conduction velocity in uninjured L4 C fibers increases after an L5 spinal nerve injury in the rat
B. Shim, M. Ringkamp, G.L. Lambrinos, T.V. Hartke, J.W. Griffin, R.A. Meyer (USA) 40

Use of the Faces Pain Scale by left and right hemispheric stroke patients
C. Benaim, J. Froger, C. Cazottes, D. Gueben, M. Porte, C. Desnuelle, J.Y. Pelissier (France) 52

Randomized controlled trial of exercise for chronic whiplash-associated disorders
M.J. Stewart, C.G. Maher, K.M. Refshauge, R.D. Herbert, N. Bogduk, M. Nicholas (Australia) 59

The pathway from musculoskeletal pain to mobility difficulty in older disabled women
S.G. Leveille, J. Bean, L. Ngo, W. McMullen, J.M. Guralnik (USA) 69

GW406381, a novel COX-2 inhibitor, attenuates spontaneous ectopic discharge in sural nerves of rats following chronic constriction injury
F.-Y. Zhao, D. Spanswick, J.C. Martindale, A.J. Reeve, I.P. Chessell (UK) 78

Brain activity for spontaneous pain of postherpetic neuralgia and its modulation by lidocaine patch therapy
P.Y. Geha, M.N. Baliki, D.R. Chialvo, R.N. Harden, J.A. Paice, A.V. Apkarian (USA) 88

Anticipatory brainstem activity predicts neural processing of pain in humans
M. Fairhurst, K. Wiech, P. Dunckley, I. Tracey (UK) 101

Efficacy of biofeedback for migraine: A meta-analysis
Y. Nestoriuc, A. Martin (Germany) 111

Daily fatigue in women with osteoarthritis, rheumatoid arthritis, and fibromyalgia
A.J. Zautra, R. Fasman, B.P. Parish, M.C. Davis (USA) 128

Rofecoxib modulates multiple gene expression pathways in a clinical model of acute inflammatory pain
X.-M. Wang, T.-X. Wu, M. Hamza, E.S. Ramsay, S.M. Wahl, R.A. Dionne (USA, Egypt) 136

Natural history of pain following herpes zoster
H.G. Thyregod, M.C. Rowbotham, M. Peters, J. Possehn, M. Berro, K.L. Petersen (USA) 148

Primary and secondary hyperalgesia can be differentiated by postnatal age and ERK activation in the spinal dorsal horn of the rat pup
S.M. Walker, J. Meredith-Middleton, T. Lickiss, A. Moss, M. Fitzgerald (UK) 157

Lamotrigine for treatment of pain associated with diabetic neuropathy: Results of two randomized, double-blind, placebo-controlled studies
A.I. Vinik, M. Tuchman, B. Safirstein, C. Corder, L. Kirby, K. Wilks, S. Quessy, D. Blum, J. Grainger, J. White, M. Silver (USA) 169

doi:10.1016/S0304-3959(07)00096-6

Cerebral cortical dysfunction in patients with temporomandibular disorders in association with jaw movement observation
Y. Shibukawa, T. Ishikawa, Y. Kato, Z.-K. Zhang, T. Jiang, M. Shintani, M. Shimono, T. Kumai, T. Suzuki, M. Kato, Y. Nakamura (Japan, China) 180

LETTERS TO THE EDITOR

Inadequate evidence for a revised definition of postherpetic neuralgia (PHN)
R.H. Dworkin (USA) 189
Response to the Letter to the Editor by Robert Dworkin
K.L. Petersen, H.G. Thyregod, M.C. Rowbotham (USA) 191

Number 3 – April 2007

EDITORIAL

What do you expect from this treatment? Changing our mind about clinical trials
F. Benedetti (Italy) 193

TOPICAL REVIEW

Attachment and pain: Recent findings and future directions
L.S. Porter, D. Davis, F.J. Keefe (USA) 195

RESEARCH PAPERS

Catechol-*O*-methyltransferase inhibition increases pain sensitivity through activation of both β_2- and β_3-adrenergic receptors
A.G. Nackley, K.S. Tan, K. Fecho, P. Flood, L. Diatchenko, W. Maixner (USA) 199
Increased plasma substance P and CGRP levels, and high ACE activity in migraineurs during headache-free periods
E. Fusayasu, H. Kowa, T. Takeshima, K. Nakaso, K. Nakashima (Japan) 209
Spinal microglia and neuropathic pain in young rats
A. Moss, S. Beggs, D. Vega-Avelaira, M. Costigan, G.J. Hathway, M.W. Salter, M. Fitzgerald (UK, Canada, USA) 215
Behavioral and pharmacological description of oxaliplatin-induced painful neuropathy in rat
B. Ling, N. Authier, D. Balayssac, A. Eschalier, F. Coudore (France) 225
Convergence of bladder and colon sensory innervation occurs at the primary afferent level
J.A. Christianson, R. Liang, E.E. Ustinova, B.M. Davis, M.O. Fraser, M.A. Pezzone (USA) 235
Defining the nociceptive flexion reflex (NFR) threshold in human participants: A comparison of different scoring criteria
J.L. Rhudy, C.R. France (USA) 244
Modality-specific sensory changes in humans after the induction of long-term potentiation (LTP) in cutaneous nociceptive pathways
S. Lang, T. Klein, W. Magerl, R.-D. Treede (Germany) 254
The impact of patient expectations on outcomes in four randomized controlled trials of acupuncture in patients with chronic pain
K. Linde, C.M. Witt, A. Streng, W. Weidenhammer, S. Wagenpfeil, B. Brinkhaus, S.N. Willich, D. Melchart (Germany, Switzerland) 264
Structural pathology in a rodent model of osteoarthritis is associated with neuropathic pain: Increased expression of ATF-3 and pharmacological characterisation
S.P. Ivanavicius, A.D. Ball, C.G. Heapy, F.R. Westwood, F. Murray, S.J. Read (UK) 272

LETTERS TO THE EDITOR

Comment on Nicholas and Asghari: Pain 2006;124:269–79
L.M. McCracken, K. Vowles, M. Thompson (UK) 283
Response to letter by McCracken et al. (2006)
M. Nicholas, A. Asghari (Australia) 284
Comment on Editorial: Is CRPS I a neuropathic pain syndrome?
A.G. Rocco, S.A. Raymond (USA) 285
'Autotomy': A terminological inexactitude
I.C. Wilkie, S. Dolan, J. Lewis, D.R. Blake (UK) 286
Comment from the Editor
M. Devor (Israel) 288
Mortality from opioid analgesics must not be ignored
C. Baca, K. Grant (USA) 288
Response to Letter by Baca and Grant (2006)
J.C. Ballantyne (USA) 288
Comment on the comprehensive review of chronic pain by Vierck and the topical review of pain by Klossika et al.
D.S. Knapp (USA) 289
Response to Knapp
C.J. Vierck (USA) 289
BMD, fMRI study and brain hypoactivity
A. Costa, V. Branca, P.D. Pigatto, G. Guzzi (Italy) 290

Response to Dr. Guzzi, et al.
R.J.C. Albuquerque, R. de Leeuw, C.R. Carlson, J.P. Okeson, C.S. Miller, A.H. Andersen (USA) 291
Comment on Koltzenburg et al.: Differential sensitivity of three experimental pain models in detecting the analgesic effects of transdermal fentanyl and buprenorphine. Pain 2006;126:165–74
M.S. Angst, J.D. Clark (USA) 292

Author Index to Volume 128 295
Subject Index to Volume 128 298
Contents to Volume 128 302